Tender Document

A. Instruction to Bidders

| 1 | The Purchaser is: DIRECTOR, CSIR – NEIST, JORHAT – 785006, ASSAM, INDIA |
|---|---|
| 2 | The Final Destination is (To be delivered at): CSIR – NEIST, Jorhat – 785006, Assam, INDIA |
| 3 | Quotation has to be submitted on FOR, destination basis. Please include all the charges clearly within the quoted cost. |
| 4 | Standard Delivery Period: Within 60 days from receipt of confirmed Purchase Order. |
| 5 | The mode of transportation should be in accordance with the nature of Item and delivery period. |
| 6 | The method and conditions of payment to be made to the Supplier under this Contract shall be as follows: 100% within 30 days after receipt of the items. Note: All payments due under the Contract shall be paid after deduction of statutory levies at source (like ESIC, Income Tax, etc.), wherever applicable. |
| 7 | The liquidated damage shall be 0.5% per week or part of a week towards late delivery and towards delay in installation and commissioning. The maximum amount of liquidated damage shall be 10%. |
| 8 | The place of jurisdiction is JORHAT, ASSAM, INDIA |
| 9 | For <u>notices</u> , the Purchaser's address is: STORES & PURCHASE OFFICER, CSIR – NEIST, JORHAT – 785 006, ASSAM, INDIA Telephone No.: +91 0376 2372 710, |
| | E-mail: spo@neist.res.in |

B. Specifications and Allied Technical Details

Item Name: <u>Consumables</u> Qty.: As mentioned below <u>Place of Delivery</u>: CSIR – NEIST, Jorhat – 785006, Assam, INDIA

| Sl. No. | Material | Specifications | Qty. | | |
|---------|---|--|------|-------|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | No. | Unit | |
| 1 | Mild steel sheet | 1.2 mm thickness, 8 ft x 4 ft area | 7 | nos. | |
| 2 | Copper tube | 27 mm Diameter, 15 m length | 2 | nos. | |
| 3 | Mild steel hinge | 1.5 inch | 20 | nos. | |
| 4 | Stainless steel valve | 1.5 inch inner diameter | 6 | nos. | |
| 5 | Hexagonal head nut, bolt and washer | 1 inch | 30 | kg | |
| 6 | Charcoal | 0.0 - 4.0 | 100 | kg | |
| 7 | Heat insulation gasket | 8 ft x 4 ft | 50 | kg | |
| 8 | Heat resistant spray paint | 225 ml | 5 | nos. | |
| 9 | Die-Cast Aluminum Centrifugal Fan Blower, Size 260 millimeter Millimeter | 260 mm, AC | 2 | nos. | |
| 10 | Copper electrical wire, single strand, 18 AWG | 1 sq. mm | 1 | roll | |
| 11 | Copper electrical wire, single strand, 22 AWG | 0.5 sq. mm | 1 | roll | |
| 12 | Copper wires, multistrand, 14 AWG | 2.5 sq. mm | 1 | roll | |
| 13 | Copper wires, multistrand, 12 AWG | 4 sq. mm | 1 | roll | |
| 14 | Copper wires, multistrand, 10 AWG | 6 sq. mm | 1 | roll | |
| 15 | Soldering iron, 25 W | 25 W | 5 | nos. | |
| 16 | Temperature Sensor | K-type Thermocouple Class 2 Temperature Range 0-1250°C | 10 | nos. | |
| 17 | Heavy load caster swivel | Diameter: 100 mm | 8 | nos. | |
| 18 | Anabond Gasket Maker | 85 g | 15 | nos. | |
| 19 | Metallic Ball valve, 1 1/4 inch | 1 1/4 inch | 4 | | |
| 20 | Metallic ball valve, 1.5 inch | 1.5 inch | 4 | | |
| 21 | Fiber glass electrical sleeves, 6 mm sq., 3m | 6 mm sq., 3m | 10 | nos. | |
| 22 | Ceramic fibre blanket insulation | | 10 | rolls | |
| 23 | Ceramic fibre rope | | 20 | kg | |
| 24 | Mild steel perforated sheet | 1.2 mm thickness, 8 ft x 4 ft area | 3 | | |
| 25 | Mild steel angle rod, 1.5 inch | 1.5 inch side length, 20 ft length | 7 | nos. | |
| 26 | Stainless steel sheet, Grade 304 | 1.2 mm thickness, 8 ft x 4 ft area | 7 | nos. | |
| 27 | Stainless steel perforated sheet, Grade 304 | 1.2 mm thickness, 8 ft x 4 ft area | 3 | nos. | |
| 28 | Stainless steel angle rod, Grade 304 | 1.5 inch side length, 20 ft length | 7 | nos. | |
| 29 | Stainless steel rod, 8 mm, Grade 304 | 8 mm Diameter, 20 ft length | 3 | nos. | |
| 30 | Copper sheet, 8 ft x 4 ft area | 1.2 mm thickness | 3 | nos. | |
| 31 | High temperature silicon tube (white/transparent)) | 10 mm Inner diameter, 10 m length | 3 | ft | |
| 32 | High temperature silicon tube (white/transparent)) | 5 mm Inner diameter, 10 m length | 3 | ft | |
| 33 | Adapter (for water flow reduction) | 10 mm to 5 mm reducer | 10 | nos. | |
| 34 | Zinc Alloy Pillow Block Flange Bearing KFL08, 8 mm inner diameter | | 4 | nos. | |
| 35 | Mild steel tube, 1.5 inch diameter | 1.2 mm thickness, 20 ft length | 3 | nos. | |
| 36 | Mild steel tube, 3 inch diameter | 3 inch diameter, 1.2 mm thickness, 20 ft length | 1 | nos. | |
| 37 | Wood (Bon bogori) | 50 mm x 50 mm x 12 ft | 10 | piece | |
| 38 | Wood for burning | | 200 | kg | |

| 39 40 | CPU fan blower 12 V DC Water Pump | 4 inch diameter, DC 12 Volt DC 12 V, 5 mm input plug | 3 | nos. |
|----------|--|---|----|--------|
| | | | | |
| 41 | Thermoelectric Peltier Refrigeration | 40 mm x 40 mm, 12 V DC | 10 | nos. |
| 42 | Cooling System TEC1-12706 Thermoelectric Peltier | | 10 | |
| 42 | | | 10 | nos. |
| 42 | Module | C4 14 D 14 12 1 | (| |
| 43 | Straight Heating Rod | Straight Rod type, Length: 12 inch, | 6 | nos. |
| | | Diameter: 8.2mm, Load: AC 500 | | |
| | | W, Max allowed current : 3A, | | |
| 44 | HIGD D 11 C 1 ' IDIO | Resistance: 9.68 kΩ | 4 | |
| 44 | USB Bus cable for Arduino UNO | 101.0 | 4 | nos. |
| 45 | Rotary potentiometer, 10 kilo ohm | 10kΩ | 10 | nos. |
| 46 | Rotary potentiometer, 100 kilo ohm | 100 kΩ | 10 | nos. |
| 47 | TM1637 Display | 7 Segment Display Unit | 20 | nos. |
| 48 | Jumper wires, Male to female | Male to female, 20 cm length | 2 | nos. |
| 49 | Jumper wires, Male to male | Male to male, 20 cm length | 2 | nos. |
| 50 | Jumper wires, Female to female | Female to female, 20 cm length | 2 | nos. |
| 51 | MOSFET, IRFZ44N | IRFZ44N | 10 | nos. |
| 52 | MOSFET, IRLB4132 | IRLB4132 | 10 | nos. |
| 53 | Waterproof Illuminated Rocker Switch | | 20 | nos. |
| 54 | Potentiometer knob | ID: 6 mm; OD: 15 mm | 20 | nos. |
| 55 | Pencil battery, AA | 1.5 V | 30 | nos. |
| 56 | Heat sink compound | | 40 | nos. |
| 57 | DC Blower with speed controller | MY6812 Electric motor | 2 | nos. |
| - | · · · · · · · · · · · · · · · · | Rated Voltage: 12V | _ | |
| | | Rated Power: 120w | | |
| | | Rated Current : <10A | | |
| | | Max RPM: 2650rpm | | |
| 58 | Microcontroller | Arduino UNO R3 | 3 | nos. |
| | Microcontroller | Atmega320p based microcontroller | 3 | 1105. |
| | | 14D i/p-o/p, 6A i/p | | |
| 59 | 12V 1 Amp Power Supply Board 220V | 12V DC, 1A | 1 | nos. |
| | AC to 12V DC | 12 v BC, 1/1 | 1 | 1103. |
| 60 | 12V DC adapter, 5 A | 5A, 60W | 2 | nos. |
| 61 | 12 v Be udapter, 3 fr | Smart Load protection Device | 1 | nos. |
| 01 | | Overvoltage Protection range: 230- | 1 | 1103. |
| | 63A 230V Digital Energy Meter with | 300VAC | | |
| | Over/Under Voltage Protection | Overcurrent Protection range: 1- | | |
| | | 63A | | |
| 62 | 1203B PWM DC Motor Speed Controller | DC 6-28V | 1 | nos. |
| 02 | Module | DC 0-28 V | 1 | 1105. |
| 63 | Pack of Resistors | 11-0 101-0 5000 2000 1 51-0 | 2 | maalr |
| 03 | Pack of Resistors $(1k\Omega, 10k\Omega, 500\Omega, 300\Omega, 1.5k\Omega; 50 \text{ each})$ | $1k\Omega$, $10k\Omega$, 500Ω , 300Ω , $1.5k\Omega$ | 2 | pack |
| 61 | | 1£100-£0.015E.47E.100-E | 2 | ma al- |
| 64 | Capacitors, (1f, 100pf, 0.015uF, 47uF, | 1f,100pf,0.015uF,47uF,100uF | 2 | pack |
| 65 | 100uF; 50 each) Diode1n400s | 1,,400, | 1 | ma a1- |
| 65 | | 1n400s | 1 | pack |
| 66 | AC-DC multiport converter | LM100-10C051212-35 Mornsun | 1 | nos. |
| | | SMPS – (5V 8A), (12V 3.5A) and | | |
| | | (12V 1A) – 94W AC/DC Enclosed | | |
| | | Switching Triple Output Power | | |
| | | Supply | | |
| 67 | Ac Timer Autocutoff | Timer Switch for Heater Single | 1 | nos. |
| | | Phase | | |
| 68 | Rocker Switch | High voltage KCD4 Green DPST | 3 | nos. |
| | | 250V 16A | | |
| | | ON-OFF 4Pin Rocker Switch | | |
| 69 | SPST Rocket Switch | 2 Pin Mini On-Off | 4 | nos. |
| | | SPST Rocket Switch (19 x 13mm) | | |
| 70 | Panel LED Indicator Light | Type of 4 Colours 22 Mm Round | 1 | nos. |
| | | Plastic | | |
| | | Single Phase Control Panel LED | | |
| | | Indicator Light | | |
| 71 | LED driver module, 12V 10A | 12V 10A 120W AC/DC Switching | 1 | nos. |
| | <u> </u> | Adaptor | | |
| | | | | |

Date: 24th July, 2025

| 72 | DC-DC Buck Converter Power Supply | LM2596S DC-DC Buck Converter | 1 | nos. |
|----|------------------------------------|-----------------------------------|------|--------|
| | 11 3 | Power Supply | | |
| | | i/p=3-40V o/p=1.5-35V max | | |
| | | current=2A | | |
| 73 | Ceramic Heating Element Insulator | Off White Ceramic Heating | 5 | nos. |
| | | Element Insulator | | |
| | | Max operating Temp: 1200°C | | |
| 74 | Ceramic terminal block | Terminal Block, 2-Way, 41A, 6 | 10 | nos. |
| | | mm2 Wire, | | |
| | | Screw Termination. Rated current: | | |
| | | 41A | | |
| 75 | GI Pipe, 1 1/4 inch | 1 1/4 inch, 20 ft | 2 | nos. |
| 76 | GI Nipple, 1 1/4 inch | | 20 | nos. |
| 77 | PCB circuit | | 5 | nos. |
| 78 | Paraffin wax 58-60 | | 10 | kg |
| 79 | Heat resistant gloves | | 5 | pairs |
| 80 | Metal 3D printed heat exchanger | | 4 | pieces |
| 81 | 8 mm pillow block flange bearing | | 20 | pieces |
| 82 | Zinc Alloy Door Handle Lock Spring | | 5 | pieces |
| | Loaded Pull Handle Latch for Oven | | | |
| | Refrigerator Freezer Door Handle | | | |
| 83 | M4x40mm Bolt and Nut, Mild steel | | 1000 | pieces |

Delivery:

Delivery should be **FOR** Destination basis.

Note:

The evaluation will be done set-wise for technical as well as financial.

C. Documents and declarations to be submitted with the bid

Technical Bid with terms and conditions:

With Technical Bid

(If not provided with the Bid, may be asked again and even then if not provided, the bid may be rejected)

- 1. Declaration regarding Make In India (Mandatory to make the Bid eligible and for Price Preference also) that the item offered meets the required local content giving details of the location(s) at which the local value addition is made.
- 2. Declaration regarding Land Border sharing Countries.
- 3. Bidders Information form.
- 4. Code of Integrity Form.
- 5. Technical Compliance/Deviation Statement form.
- 6. Bid Securing Declaration Form.
- 7. Supporting brochures/catalogues.
- 8. Documentary evidence (if exemption and Price Preference is claimed) about the status of the bidder i.e. whether MSE or not, owned by SC/ST or not and whether the MSE is owned by a women entrepreneur or not, if and as applicable.

D. Documents to be submitted by the successful bidder after award of contract

- 1. Order Acceptance (within 14 days).
- 2. Challan & Invoice.

FORMS Part I (To be submitted along with the bid)

(To be filled by the bidder as appropriate and enclosed with the Technical Bid)

1. Self Certification for Make in India

Affidavit of Self certification regarding Minimum Local Content in line with DPIIT order, dated 16th September, 2020, to be provided on a non-judicial stamp paper of Rs. 100/-. (The scanned copy of the stamp paper to be attached with the bid & the original should be sent by post/courier for evaluation)

| | | | | | Date: | //20 |
|---------|---|---|--|---|--|--|
| I of | | S/o, | D/o, | W/o, | hereby solemnly | Resident affirm and declare |
| as ur | nder: | | | | nereby soleminy | arrini and deciare |
| | Internal Tra India issued modificatio | ade (Preference to d vide Notificatio ons/Amendments, | o Make in India) n No:P-45021/2/ if any. | Order, 2020 (<i>her</i> /2017/PP (BE-II) o | partment for Promoti einafter DPIIT order lated 16/09/2020, and best of my knowledg |) of Government of l its any subsequent |
| | | | | | city i.e. CSIR-NEIST ods/services/works of | |
| | | | | nstitute the said go of the claims made | oods/services/works h therein. | nas been verified by |
| | | | | | Local Content 'as def | |
| | found to be assessment assessing the | e incorrect and n of procuring en | ot meeting the ptity i.e. CSIR-N | prescribed Minimu EIST or any auth | oods/services/works in Local Content critionity so nominated line with the DPIIT o | iteria, based on the for the purpose of |
| | | e to maintain the f tion to any statuto | | ation in the Compa | any's record and shall | make this available |
| The | particulars/de | tails of Local Co | ntent are as unde | r: | | |
| i. | (Registered | d details of the I l Office, Manufac | 1.1 | on, nature of legal | l entity) | |
| ii. | | ices/works for wh | nich this declarati | ion/affidavit is pro | duced | |
| iii. | _ | ntity to whom thi | s declaration/affi | davit is furnished | | |
| iv. | _ | of local content d | eclared/certified | | | |
| can' | t claim them | | local supplier/ | Class-II local sup | category of Non-loc plier by claiming pro | |
| For a | and on behalf | of | | (Na | me of firm/entity) | |
| | norized signa ert Name De | i tory signation and Co | ntact No > | | | |

2. Declaration regarding Land Border Sharing Countries

(On Letter Head)

| | | | | | no. |
|--|--|--|--|---|--|
| ction on procur in accordance rement No.1) o | rement from a e with the C lated: 23.07.2 | bidder of a Govt. of Ind 020 and no. | country which s lia notification r 6/18/2019-PPD(F | hares a land be no. 6/18/2019-P Public Procurer | order with PPD(Public |
| | ot from such | a country an | d is eligible to be | | |
| | | Or | | | |
| competent author | ority and the | related docu | U | | |
| | | Or | | | |
| ndia extended l Affairs and the | ines of credit related docum | notified by I | Ministry of Exter | nal | |
| | ction on procur in accordance irement No.1) of 23.07.2020by Marchis bidder is not considered. This bidder is frompetent authorized thus eligible of this bidder is from the competent authorized the | ction on procurement from a in accordance with the Carement No.1) dated: 23.07.2 : 23.07.2020by Ministry of Fine this bidder is not from such a considered. This bidder is from such a competent authority and the and thus eligible to be considered this bidder is from such a council for this b | ction on procurement from a bidder of a in accordance with the Govt. of Indurement No.1) dated: 23.07.2020 and no.: 23.07.2020by Ministry of Finance. According this bidder is not from such a country and considered. Or "this bidder is from such a country but is recompetent authority and the related document thus eligible to be considered." Or "this bidder is from such a country but to the country but to the country but to the country and the related document is attached. | ction on procurement from a bidder of a country which so in accordance with the Govt. of India notification represent No.1) dated: 23.07.2020 and no. 6/18/2019-PPD(F): 23.07.2020 by Ministry of Finance. Accordingly, I hereby considered. Or 'this bidder is not from such a country and is eligible to be considered. Or 'this bidder is from such a country but is registered with the competent authority and the related document is attached and thus eligible to be considered. Or 'this bidder is from such a country but to this country, Govt. India extended lines of credit notified by Ministry of Extendation and the related document is attached and thus eligible. | Along with clause ction on procurement from a bidder of a country which shares a land be in accordance with the Govt. of India notification no. 6/18/2019-Prement No.1) dated: 23.07.2020 and no. 6/18/2019-PPD(Public Procurer: 23.07.2020by Ministry of Finance. Accordingly, I hereby certify that "this bidder is not from such a country and is eligible to be considered" Or "this bidder is from such a country but is registered with the competent authority and the related document is attached and thus eligible to be considered" Or "this bidder is from such a country but to this country, Govt. of India extended lines of credit notified by Ministry of External Affairs and the related document is attached and thus eligible |

[Tick or write 'YES' in the appropriate box]

(Bidder for the purpose of this order (including the term 'tenderer', 'consultant', 'vendor' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial judicial person not falling in any of the descriptions of bidders started herein before, including any agency, branch or office controlled by such persons, participating in a procurement process.)

Authorized signatory Name: Designation:

Contact No:

Email Id:

Other details:

3. Bidder Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission]

| Tender No.: [insert number from Invitation for bids] |
|---|
| Page 1 of pages |
| 1. Bidder's Legal Name[insert Bidder's legal name] |
| 2. In case of JV, legal name of each party: [insert legal name of each party in JV] |
| 3. Bidder's actual or intended Country of Registration: [insert actual or intended |
| Country of Registration] |
| 4. Bidder's Year of Registration: [insert Bidder's year of registration] |
| 5. Bidder's Legal Address in Country of Registration: [insert Bidder's legal address in country |
| of registration] |
| 6. Bidder's Authorized Representative Information |
| Name: [insert Authorized Representative's name] |
| Address: [insert Authorized Representative's Address] |
| Telephone/Fax numbers: [insert Authorized Representative's telephone/fax |
| numbers] |
| Email Address: [insert Authorized Representative's email address] |
| 7. Attached are copies of original documents of: [check the box(es) of the attached original |
| documents] |
| Articles of Incorporation or Registration of firm named in 1, above. |
| |
| Signature of Bidder |

4. CODE OF INTEGRITY FORM

Format for declaration by the Bidder for Code of Integrity & conflict of interest (On the Letter Head of the Bidder)

| Ref. No: | Date | | |
|--|--|--|--|
| То, | _ | | |
| (Name & address of the Purchaser) | _ | | |
| Sir, With reference to your Tender | No dated | | |
| I/We,her PublicProcurement as per General F | reby declare that we shall abide by the Code of Integrity for inancial Rules 2017 (Rule 175) and have no conflict of interest. | | |
| | ransgressions of the code of integrity with any entity in any country g debarred by any other Procuring Entity are as under: | | |
| We undertake that we sha contravention of this code. | all be liable for any punitive action in case of transgression/ | | |
| Thanking you, | Yours sincerely, | | |
| | Signature (Name of the Authorized Signatory) Company Seal | | |

5. COMPLIANCE/DEVIATION STATEMENT FORM

An item-by-item commentary on the Purchaser's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications or a statement of deviations and exceptions to the provisions of the Technical Specifications.

| ITEM : | NAME | | |
|--------|--|----------------|-------------------|
| Sl.No. | Tender | Bidder's | Remarks/Deviation |
| | Specifications/Parameters/Requirements | Specifications | If any |
| | (Note: Here technical as well as other | | |
| | requirements/parameters may also be | | |
| | included for this evaluation sheet) | | |

(Technical literature/brochures/manuals should be attached along with this format)

Please note:

- 1. Compliance/Deviation statement comparing the specifications of the quoted model to the required specifications. This statement should also give the page number(s) of the technical literature where the relevant specification is mentioned.
- 2. Bids may have supporting documents (technical literature or copies of relevant pages from the service manual or factory test data) for all the points noted above.

6. BID SECURING DECLARATION FORM

| Date: Bid No |
|---|
| o (insert complete name and address of the purchaser) |
| We. The undersigned, declare that: |
| We understand that, according to your conditions, bids must be supported by a Bid Securing eclaration. |
| We accept that I/We may be disqualified from bidding for any contract with you for a period of ne year from the date of notification if I am /We are in a breach of any obligation under the bid onditions, because I/We |
| have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during e period of bid validity specified in the form of Bid; or having been notified of the acceptance of our Bid by the purchaser during the period of bid alidity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the erformance Security, in accordance with the Instructions to Bidders. |
| We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the accessful Bidder, upon the earlier of (i) the receipt of your notification of the name of the accessful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid. |
| igned: (insert signature of person whose name and capacity are shown) in the capacity of nsert legal capacity of person signing the Bid Securing Declaration). |
| ame: (insert complete name of person signing he Bid Securing Declaration) uly authorized to sign the bid for an on behalf of: (insert complete name of Bidder) |
| ated on day of (insert date of signing) orporate Seal (where appropriate) |
| Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners the Joint Venture that submits the bid) |